



**NATIONAL INSTITUTE OF TECHNOLOGY
HAZRATBAL, SRINAGAR- 190006 (J&K)**
(Planning & Development Wing)
Tel: 0194-2102157 Fax: 0194-2420475

NITS/PnD/ET/2021/CIVIL/09

For & on behalf of Chairman Board of Governors NIT Srinagar, e-tenders **(in Two Cover System)** are invited from **Civil Contractors** registered with state **PWD, CPWD, MES** for the below mentioned work:-

S. No	Particulars of Items	Cost of work	Earnest Money	Completion period	Class of contractor	Cost of T.D
01	Providing and fixing of plywood Almeria , shelves , Tables for Examination , Academic Section and Academic Store	Rs. 26.52 lacs	Rs. 53,040/-	60 days	A & B class	Rs. 500/-

Bidders are requested to submit the online bids on E-tendering portal.

Website for online bid submission : <https://mhrd.euniwizarde.com>

Terms & Conditions:-

1. The Bidding documents Consisting of qualifying information, eligibility criteria, specifications, Drawings, bill of quantities (B.O.Q), Set of terms and conditions of contract and other details can be seen/downloaded from the NIT website www.nitsri.ac.in as per schedule of dates given below:-

1	Date of Issue of Tender Notice	22-11-2021
2	Period of downloading of bidding documents	22-11-2021 to 07-12-2021
3	Bid submission Start Date	22-11-2021
4	Bid submission End date	07-12-2021
5	Date and time of opening of bids Technical bid (Online) and price bid will be opened after evaluation of technical bid	07-12-2021 At 14:30 P.M in the office of Dean P&D wing

1. Bids must be accompanied with cost of Tender document in shape of **NIT, Chest receipt/(Mentioning therein Nomenclature of the work and Advertised Cost)** in favour of **Dean P&D Wing, NIT, Srinagar(tender inviting authority) and** the cost of downloaded tender document as shown above in the table should be deposited in J&K Bank A/C No: 039101010000106.
2. **Earnest money in shape of CDR/FDR** pledged to **Dean P&D Wing, NIT, Srinagar (tender receiving authority).** Or Earnest money/ Bid Security can be made through E-payment also on the E-Tendering/ E- Wizards portal
3. The date and time of opening of Bids shall be notified on Web Site **www.nitsri.ac.in** and conveyed to the bidders automatically through an e-mail message on their e-mail address. The **bids of Responsive bidders** shall be opened online on same Web Site in the Office of **Dean P&D Wing NIT, Srinagar (tender receiving authority).**
4. The bids for the work shall remain **valid for a period of 120 days from the date of opening of Technical bids**
5. The earnest money shall be forfeited, If:-
 - a. Any bidder/ tenderer withdraw his bid/ tender during the period of bid validity or makes any modifications in the terms and conditions of the bid.
 - b. Failure of Successful bidder to furnish the required performance security within the specified time limit.
 - c. Successful bidder to execute the agreement within 28 days after fixation of contract.
6. **Instruction to bidders regarding e-tendering process.**
 - a. Bidders are advised to download bid submission manual from the "Downloads" option as well as from "Bidders Manual Kit" on website **www.nitsri.ac.in** acquaint bid submission process.

- b. To participate in bidding process, bidders have to get 'Digital Signature Certificate (DSC)' as per Information Technology Act-2000. Bidders can get digital certificate from any approved Vendor.
- c. The bidders have to submit their bids online in electronic format with digital Signature. No bid will be accepted in physical form.
- d. Bids will be opened online as per time schedule.
- e. Bidders must ensure to upload scanned copy of all necessary documents with the bid.
- f. **Bidders must ensure to upload scanned copy of all necessary documents with the technical bid.**

Note: - Scan all the documents on 100 dpi with black and white option.

6. Scanned copy of cost of tender document in shape of NIT, Chest (**Mentioning therein the NIT No., nomenclature of the work and Advertised Cost**) in favour of **Executive Engineer P&D Wing NIT, Srinagar** and Earnest Money in shape of CDR/FDR. (**The date of earnest money/Bid security should be between the date of start of bid and Bid Submission End date**) **pledged to Executive Engineer P&D Wing Srinagar** must be uploaded with the documents of the bid. The original NIT Chest (cost of tender document), CDR/FDR (earnest money/bid security) and relevant bid documents shall be obtained from the lowest bidder before the fixation of contract.
8. Any item or items of work beyond the allotted items necessitated at site if any shall be also paid on allotted appreciation/depreciation on the Estimated Rate.
9. Bidders are advised to use "**My Documents**" area in their user on E-Wizarde e-Tendering portal to store such documents as are required.
10. **Instructions to Bidder (ITB)**
 - a. All bidders shall upload the following information and documents along with qualification criteria / qualification information with their bids:-
 - b. **Copies of original documents defining constitution/ legal status, place of registration and principal place of Business with Cell No. and Correspondence address.**
 - c. **Treasury Challan/CDR/FDR**
 - d. **Scanned Copy of PAN Card**
 - e. **Scanned Copy of GSTIN Registration and latest clearance certificate FORM GST-3B i.e. latest clearance certificate FORM GST-3B of the preceding Month to the issued of NIT.**
11. All documents relating to the bid shall be in the English Language.
12. **Bidder must ensure to upload scanned copies of all necessary documents including earnest money and tender documents fee in terms of soft copies with technical bid. No document (s) which has /have not been uploaded shall be entertained in the form of hard copy. However, in case of any clarification the bidders shall have to produce original documents in support of soft copies if need arises**
13. The date of start of the work shall be reckoned from the 3rd day of issuance of LOI/Contract allotment as the case may be.
14. **Penalty for delay in completion:-**In case of delay in completion of work beyond stipulated period of completion, penalty upto **Rs. 500/- per day** shall be imposed.
15. **The tender receiving authority reserves the right to accept or reject any tender or all tenders without assigning any reason thereof.**
16. **Lawda permission for ferring of material:- It is responsibility of the contractor to obtain building permission of materials involved in the construction from LAWDA and P&D wing will only serve letter to the LAWDA**
17. **Restoration of work:-** On completion of contract the contractor shall be responsible to remove all unused material and restore all work in its original position at his own cost.
18. **Traffic regulations:-**The contractor is bound to adhere to traffic regulations as is applicable from time to time and ensure arrangements of smooth regulation of traffic during execution of work.
19. **Defect Liability period:-** The DLP shall be Calculated from date of certified completion of work and period **shall be 08 months.** The defects noticed in the work during execution or D.L.P. shall be corrected by the Contractor within the length of time specified by the Engineer. If the contractor does not correct the defects pertaining to D.L.P. to the satisfaction of the Engineer within the time specified, the Engineer will assess the cost of having the defects corrected and contractor will pay this amount on correction of defects.
20. The date of start of work shall be reckoned within seven days from the date of issuance of allotment/ Letter of intent. In case the agency fails to execute the work, the deposits in the

shape of CDR and Additional performance guarantee shall be liable for forfeiture besides initiating other punitive actions against the defaulter without serving any notice.

21. Tests:-The contractor shall be solely responsible for carrying out the mandatory tests required for the quality control at his own cost.

22. Termination: - The employer may terminate the contract if the contractor causes a fundamental breach of the contract.

23. Court's Jurisdiction: - In case of any dispute/differences between contractor and department the Jurisdiction shall be union territory of J&K.

24. The contractor who will participate in the tendering shall have to fill declaration form which is Annexed with the NIT.

25. After opening of tender the lowest tenderer has to submit earnest money of the 2% of the tendered cost within 7 days from the issue of the letter and award of contract shall be accordingly issued in favour of L1.

26. Other Conditions.

- *If any omission is found in the specification / rate of item or there is an any typographical error in the rate/item, the same shall be read as per approved estimate*
- *The supply if found defective /not as per approved specifications, the item will not be accepted and will have to be replaced at the risk & cost of allottee.*
- *The rates should be written clearly and legible both in words and figures and avoid corrections. Further all rates should be covered with transparent tape.*
- *Any tenderer quoting "Free of Cost" for any item of work, the tender shall be rejected.*
- *The tenderer quoting "Rebate" on comparative cost or on item of rate will be rejected. Contractor should thus adjust amount within the quoted rate structure.*
- *The splitting of quantity of any item i.e. quoting of more than one rate for the item is not accepted.*
- *The competent authority reserves the right to reject any tender without assigning any reason thereof.*

**Dean (P&D)
P&D wing**

**Advertisement quantity schedule/Rate list for Providing and fixing of plywood Almeria , shelves ,
Tables for Examination , Academic Section and Academic Store at NIT Srinagar
Advertised cost of Rs. 26.52 Lacs.**

S.No.	Description of Item	Rate to be quoted by the Contractor (%)
01	<i>Complete DSR-2018 and items given below in the Table Contractor may quote single percentage of rate above or below (Appreciation/depreciation) over advertised cost neatly in figures as well as in words. Items to be executed are given below in the Table..</i>	

S.No	Description of item.	Quantity.	Unit.	Rate in Rupees
1.	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design)	8.16	Cum	1737.45/-
2.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size)	12.13	Cum	6259.10/-
2(b)	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of tiles 600 x 600 mm	108.74	Sqm	1500.55/-
3	Providing Wood Work in frames of doors, windows and clerestory windows and other frames wrought framed and fixed in position 1 st class K.D wood	1.15	Cum	63,000/-
4	Providing and fixing of Ply Wood including cost of nails adhesive etc. complete at all places in layers for Almeria ,table, Computer tables (Green Ply ,Amul ply ,century ply) 19 mm thick	588.73	Sqm	1800/-
05	Providing & fixing over lapped 22 mm thick ply wood /Board , Almeria shutters including 75 mm stain less steel L- hings 0.80 mm thick lamination on one side and wood primer on inner side including cost of screw adhesive and carriage for the same (Green ply , Amul Ply Centuri Ply) including margin tape around shutters.	56.95	Sqm	3750
6	Providing and fixing of Ply Wood including cost of nails adhesive etc. complete at all places in layers for partition , ceiling only (Medium Make) 10 mm thick	149.73	Sqm	650/-
7	Providing and fixing of High Glass Laminated Mica 1 mm thick complete in all respects	125.47	Sqm	1750/-
8	Providing and fixing of 20mm wide Margin Tape in all shades and colors complete job.	623.27	Sqm	25/-
9	Providing and fixing aluminum work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing	104.678	Kgs	423.95

	with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. aluminum sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminum snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :For fixed portion1 Anodized aluminum (anodized transparent or dyed to required shade according to IS:1868, Minimum anodic coating of grade AC 15			
10	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodized aluminum (anodized transparent or dyed to required shade according to IS:1868, Minimum anodic coating of grade AC15)	7.68	Cum	513.4
11	Providing and fixing 12 mm thick pre laminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer - in-charge. Pre-laminated particle board with decorative lamination on both sides	11.91	Cum	1046.90/
12	Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge .(Cost of aluminum snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	11.91	Sqm	1296.4
13	Providing and fixing aluminum tubular handle bar 32 mm outer dia, 3.0 mm thick & 2100 mm long with SS screws etc .complete as per direction of Engineer-in-Charge. Anodized (AC 15) aluminum tubular handle bar	02	No's	512.30/-
14	Providing and fixing of Eldrop with locking arrangement(Godrej/Link/Ramson) 275 mm long	01	No's	1700/-
15	Providing and fixing of Ornamental Stainless Steel Handle heavy make to be approved by engineer- in -charge 100 mm long	60	No's	175/-
16	Providing and fixing of Drawer Channel stainless steel complete job 300 mm long	20	No's	575/-
17	Providing and fixing of Multipurpose locks complete in all respects for Almeria, shutters & drawers (Godrej/ Link/ Ransom)	10	No's	550/-
18	Providing and fixing of Magnetic Catcher including ply base for leveling complete in all respect	10	No's	75/-
19	Engagement of Carpenter for repairing and riverting windows and doors (Ist Class Carpenter)	05	Nos	850/-
(b)	Carpenter (Helper)	03	No's	600/-
20	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	1730.30	Kgs	101.75/-
21	Providing and Fixing of Imported Panelling including frame work of approved pattern complete in all respect including sprit polish and 2"x 1 1/2 " @ 2' c/c. K.D. Wood	100.75	Sqm	2450/-
22	Removing dry or oil bound distemper, water proofing cement paintand the like by scrapping, sand papering and	153.14	Sqm	18.25/-

	preparing the surfacesmooth including necessary repairs to scratches etc. complete			
23	Removing Paint by any means from walls, doors, windows etc. complete job	733.19	Sqm	20/-
24	Finishing walls with Wall Putty of 1mm thick on plastered surfaces which will serve as a base for painting distempering etc.	153.14	Sqm	115.5/-
25	Applying priming coat: With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood)	733.19	Sqm	57.05/-
26	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : New work (two or more coats) over and including water thinnable priming coat with cement primer	153.14	Sqm	153.45/-
27	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	733.19	Sqm	70.95/-
28	Chequerred precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand). Light shade pigment using white cement	11.06.	Sqm	1221.65/-

Dean (P&D)
P&D wing

NIT/P&D/21/211
DT: 20-05-2021

Performa for Earnest Money Deposit Declarations

Where as I /we _____ (Name of the Agency) _____
_____ have submitted bids for _____ (Name
of the work) _____ .

I/we hereby submit following declaration in lieu of submitting earnest money deposit.

- 1.** If after the opening of Tender, I/we withdraw or modify my /over bid during the period of validity of the tender (including extended validity of tender) specified in the tender documents.
- 2.** I after the award of work I/we fail to sign the contract or to submit performance guaranty before the dead line defined in the tender documents

I/we shall be suspended for one year and shall not be eligible to bid for P&D tenders from date of issue of suspension order.

(Signature of contractor)s